PureKleen-BF
Surface Cleaner

Detailed Specifications

Hewins Timber Ltd
Mill Lane, Lopen,
South Petherton,
Somerset, TA13 5JS

T: 01460 241777
F: 01460 241341
E: sales@hewinsoak.com
W: www.hewinsoak.com

PureKleen-BF
Surface Cleaner

PureKleen is a high-performance renovating cleaner used to remove organic and microbiological growth contaminants from porous surfaces without the need for excessive scrubbing or pressure wash. Supplied in a light gel, it is designed to both clean and provide ongoing protection from moss, lichen and algae, and does not contain solvents, acids or caustic soda so is very environmentally friendly. PureKleen-BF is formulated to treat timber surfaces, restoring them to close to their original colour. We recommend once the timber surfaces have been treated they are then sealed with PureWood to maximise protection and preserve the colour.

- Suitable for both interior & exterior vertical surfaces, including building facades, domestic & commercial walls and heritage buildings
- Professional strength & concentrated solution - highest performance with less packaging and space
- Once applied, will typically keep working for up to 2-3 years
- Reduces ongoing maintenance costs
- Scrubbing or power washing not required



hewins OAK

✓Technical Data

Colour	Pale straw
Odour	Characteristic
pH	< 12
VOC	0g/litre
Solubility in water	Soluble
Specific gravity	1.09
Manufacturer	Rocan Products Ltd

✓Additional Information

- **Coverage -** Depends on the porosity of the substrate. The more porous the surface, the less the coverage rate will be. Heavy soiling: 3m^2/litre. Light soiling: 5m^2/litre.
- **Equipment cleaning -** Clean tools and equipment with clean, warm water.
- **Storage & shelf life -** Store away from frost and heat in a dry place: temperature between 5°C and 35°C. Shelf life is 12 months from the production batch date, when kept in the original unopened container.
- **Health & safety -** See Material Safety Data Sheet before use. Never mix or add any other cleaners or acid product.

hewins OAK

✓Application Instructions

- Protect any surface not being treated that is in close proximity of the area.
- Always test apply on a small, preferably hidden, portion of the substrate before commencing works.
- Supplied ready to use.
- Apply neat product to a dry or damp surface with a brush, roller or sprayer.
- Soak the complete area with a generous and even application.
- Leave for 20-90 minutes.
- Rinse with water, then allow to dry.
- Ideally protect the cleaned surface with PureScape to limit re-growth.

Important: The content of this documentation is based on Hewins Timber Ltd / Rocan Products Ltd experience of the product. Rocan Products Ltd guarantees the quality of its products, but expressly declines any liability in the event of failure by the user to comply with the recommendations and conditions of use of said products, notably but not exclusively in the event of incorrect application, application by unqualified personnel, use of products not compatible with Rocan's products or bad weather conditions. For further information, refer to the safety data sheet.

Date of last update: 10.04.2018

100% Biodegradable product

MADE IN BRITAIN

hewins OAK

hewins
OAK

Hewins Timber Ltd
Mill Lane, Lopen,
South Petherton,
Somerset, TA13 5JS

T: 01460 241777
F: 01460 241341
E: sales@hewinsoak.com
W: www.hewinsoak.com